

THE CLAIMS

1. An electrical box constructed for receiving one or more cable/conduit connectors constructed for securing an electrical cable and/or conduit to the box and for providing information regarding an electrical circuit or equipment to which the cable/conduit is connected, said electrical box comprising:

- A. a housing constructed for receiving and securely retaining an electrical cable/conduit connector therewith; and
- B. indicia formed on at least one surface of the housing, with said indicia being constructed for providing information regarding the electrical circuit or equipment to which the electrical cable/conduit mounted to the housing is connected;

whereby said indicia is visible after installation of the electrical box, providing the user with pertinent information regarding the electrical cable and the connections associated therewith.

2. The electrical box defined in Claim 1, wherein said indicia is further defined as comprising one selected from the group consisting of colors, designs, logos, pictures and alpha-numeric designations.

3. The electrical box defined in Claim 2, wherein the indicia is further defined as being formed on the entire surface of the component to which it is applied.

4. The electrical box defined in Claim 2, wherein the indicia is further defined as being formed on a portion of the surface of the component to which it is applied.

5. The electrical box defined in Claim 1, wherein the housing is further defined as comprising a closed end hollow rectangular shape incorporating a plurality of substantially flat, cooperating wall members, each having an inside surface and an outside surface, and a plurality of apertures formed in said wall members enabling the secure affixation of electrical cable/conduits therein.

6. The electrical box defined in Claim 5, wherein said housing further comprises a plurality of removable plugs or plates associated with the apertures for covering the apertures prior to use.

7. The electrical box defined in Claim 6, wherein each aperture is constructed for enabling a cable/conduit connector to be telescopically inserted into the aperture and securely retained therein.

8. The electrical box defined in Claim 1, wherein said box comprises one selected from the group consisting of junction boxes, switch boxes, and outlet boxes.

9. The electrical box defined in Claim 1, wherein said indicia is readily identifiable and visually distinctive and comprises a first indicia formed on one portion of one wall surface of the housing and a second indicia formed on a second portion of one wall surface of the housing.

10. The electrical box defined in Claim 9, wherein said first indicia and said second indicia are identical.

11. The electrical box defined in Claim 9, wherein said first indicia is visually distinguishable from said second indicia.

12. The electrical box defined in Claim 9, wherein the first indicia is formed partially covering at least one inside wall surface.

13. The electrical box defined in Claim 9, wherein said first indicia is formed covering at least one inside wall surface.

14. The electrical box defined in Claim 9, wherein said second indicia is formed partially covering at least one outside wall surface.

15. The electrical box defined in Claim 9, wherein said second indicia completely covers at least one outside wall surface.

16. The electrical box defined in Claim 9, wherein the first indicia and the second indicia are formed on the same wall surface.

17. The electrical box defined in Claim 9, wherein the first indicia and the second indicia are formed on different wall surface.